

| | A | B | C | D | E | F |
|----|---|------|---|---|-----|------|
| 1 | Trip to Western Venezuela | | | | | |
| 2 | 05-19 March 2004 | | | | | |
| 3 | Leader: David Ascanio. morphos@telcel.net.ve | | | | | |
| 4 | Participants: Eric Schaumburg, Alex Rosendal, Hans Harrestrup Andersen | | | | | |
| 5 | Column B: Coastal Cordillera (Colonia Tovar, Henri Pittier NP) | | | | | |
| 6 | Column C: Desert scrub of NW Venezuela (Deserts of Lara) | | | | | |
| 7 | Column D: Lake Maracaibo basin (La Azulita and lowlands) | | | | | |
| 8 | Column E: Andes of Merida and Lara (Yacambu NP, La Culata NP, Sierra Nevada NP, | | | | | |
| 9 | Paramo of Sto.Domingo, San Isidro valley) | | | | | |
| 10 | Column F: Llanos of the state of Apure (Hato El Cedral) | | | | | |
| 11 | Column G: Beach at the "Best Western", Caracas | | | | | |
| 12 | SPECIES ACCOUNT | | | | | |
| 13 | HIGHLAND TINAMOU <i>Nothocercus bonapartei</i> | H | | | | |
| 14 | LITTLE TINAMOU <i>Crypturellus soui</i> | H | | | | |
| 15 | RED-LEGGED TINAMOU <i>Crypturellus erythropus</i> | H | | | | |
| 16 | LEAST GREBE <i>Podiceps dominicus</i> | | | | 9 | |
| 17 | PIED-BILLED GREBE <i>Podilymbus podiceps</i> | | | | 2 | 5+ |
| 18 | BROWN BOOBY <i>Sula leucogaster</i> . | 2 | | | | 5 |
| 19 | BROWN PELICAN <i>Pelecanus occidentalis</i> | many | | | | 5+ |
| 20 | NEOTROPIC CORMORANT <i>Phalacrocorax brasilianus</i> | many | | 3 | | 5+ |
| 21 | ANHINGA <i>Anhinga anhinga</i> | | | | | many |
| 22 | MAGNIFICENT FRIGATEBIRD <i>Fregata magnificens</i> | 50+ | | | | |
| 23 | WHITE-FACED WHISTLING-DUCK <i>Dendrocygna viduata</i> | | | | | many |
| 24 | BLACK-BELLIED WHISTLING-DUCK <i>Dendrocygna autumnalis</i> | | | | | many |
| 25 | ORINOCO SHELDGOOSE <i>Neochen jubata</i> | | | | | many |
| 26 | MUSCOVY DUCK <i>Cairina moschata</i> | | | | | 1 |
| 27 | TORRENT DUCK <i>Merganetta armata</i> | | | | 4 | |
| 28 | ANDEAN TEAL <i>Anas andium</i> | | | | 16+ | |
| 29 | BLUE-WINGED TEAL <i>Anas discors</i> | | | | 3 | |
| 30 | BRAZILIAN TEAL <i>Amazonetta brasiliensis</i> | | | | | many |
| 31 | PINNATED BITTERN <i>Botaurus pinnatus</i> | | | | | 1 |
| 32 | ZIGZAG HERON <i>Zebriulus undulatus</i> | | | | | 3 |
| 33 | RUFESCENT TIGER-HERON <i>Tigrisoma lineatum</i> | | | | | many |
| 34 | COCOI HERON <i>Ardea cocoi</i> | | | 1 | | many |
| 35 | GREAT EGRET <i>Ardea alba</i> | 1 | | | | |
| 36 | SNOWY EGRET <i>Egretta thula</i> | | | | | many |
| 37 | LITTLE BLUE HERON <i>Egretta caerulea</i> | | | | | 20+ |
| 38 | CATTLE EGRET <i>Bubulcus ibis</i> | | | 2 | | |
| 39 | STRIATED HERON <i>Butorides striatus</i> | | | | 1 | |
| 40 | AGAMI HERON <i>Agamia agami</i> | | | | | 1 |
| 41 | WHISTLING HERON <i>Syrigma sibilatrix</i> | | | | | 1 |
| 42 | CAPPED HERON <i>Pilherodius pileatus</i> | | | | | 3 |
| 43 | BLACK-CROWNED NIGHT-HERON <i>Nycticorax nycticorax</i> | | | | | many |
| 44 | YELLOW-CROWNED NIGHT-HERON <i>Nyctanassa violacea</i> | | | | | 5+ |
| 45 | BOAT-BILLED HERON <i>Cochlearius cochlearius</i> | | | | | 20+ |
| 46 | BUFF-NECKED IBIS <i>Theristicus caudatus</i> | | | | | many |
| 47 | SHARP-TAILED IBIS <i>Cercibis oxycerca</i> | | | | | many |
| 48 | GREEN IBIS <i>Mesembrinibis cayennensis</i> | | | | | 10+ |

| | A | B | C | D | E | F |
|----|---|-----|----|------|------|------|
| 49 | BARE-FACED (WHISPERING) IBIS <i>Phimosus infuscatus</i> | | | | 20+ | many |
| 50 | WHITE IBIS <i>Eudocimus albus</i> | | | | | 20+ |
| 51 | SCARLET IBIS <i>Eudocimus ruber</i> | | | | | many |
| 52 | GLOSSY IBIS <i>Plegadis falcinellus</i> | | | | | 5+ |
| 53 | ROSEATE SPOONBILL <i>Ajaia ajaja</i> | | | | | many |
| 54 | WOOD STORK <i>Mycteria americana</i> | | | | | many |
| 55 | MAGUARI STORK <i>Euxenura maguari</i> | | | | | many |
| 56 | JABIRU <i>Jabiru mycteria</i> | | | | | 10+ |
| 57 | BLACK VULTURE <i>Coragyps atratus</i> | 50+ | | many | many | many |
| 58 | TURKEY VULTURE <i>Cathartes aura</i> | 3 | 2 | 10 | 7 | |
| 59 | LESSER YELLOW-HEADED VULTURE <i>Cathartes burrovianus</i> | | | | | 3+ |
| 60 | OSPREY <i>Pandion haliaetus</i> | | | | | 3 |
| 61 | GRAY-HEADED KITE <i>Leptodon cayanensis</i> | | | | 2 | |
| 62 | HOOK-BILLED KITE <i>Chondrohierax uncinatus</i> | | | | 4 | |
| 63 | AMERICAN SWALLOW-TAILED KITE <i>Elanoides forficatus</i> | | | | 8 | |
| 64 | WHITE-TAILED KITE <i>Elanus leucurus</i> | | | | | 2 |
| 65 | PLAIN-BREASTED HAWK <i>Accipiter ventralis</i> | | | | 2 | |
| 66 | SAVANNA HAWK <i>Buteogallus meridionalis</i> | | 1 | | | 20+ |
| 67 | COMMON BLACK-HAWK <i>Buteogallus anthracinus</i> | 1 | | | | |
| 68 | GREAT BLACK-HAWK <i>Buteogallus urubitinga</i> | | | | | 5+ |
| 69 | HARRIS' HAWK <i>Parabuteo unicinctus</i> | | 1 | | | |
| 70 | BLACK-COLLARED HAWK <i>Busarellus nigricollis</i> | | | | | 5+ |
| 71 | SOLITARY EAGLE <i>Harpyhaliaetus solitarius</i> | 1 | | | | |
| 72 | BLACK-CHESTED BUZZARD-EAGLE <i>Geranoaetus melanoleucus</i> | | | | 1 | |
| 73 | GRAY HAWK <i>Buteo nitidus</i> | | | 1 | | |
| 74 | ROADSIDE HAWK <i>Buteo magnirostris</i> | | | | 1 | |
| 75 | WHITE-RUMPED HAWK <i>Buteo leucorrhous</i> | | | | 1 | |
| 76 | BROAD-WINGED HAWK <i>Buteo platypterus</i> | | | | 6 | 2 |
| 77 | SHORT-TAILED HAWK <i>Buteo brachyurus</i> | 1 | | | | 5 |
| 78 | ZONE-TAILED HAWK <i>Buteo albonotatus</i> | | | | | 2 |
| 79 | WHITE-TAILED HAWK <i>Buteo albicaudatus</i> | 1 | | | | 10+ |
| 80 | BLACK-AND-WHITE HAWK-EAGLE <i>Spizastur melanoleucus</i> | | | | 1? | |
| 81 | BLACK HAWK-EAGLE <i>Spizaetus tyrannus</i> | 1 | | | | |
| 82 | ORNATE HAWK-EAGLE <i>Spizaetus ornatus</i> | 1 | | | | |
| 83 | BLACK-AND-CHESTNUT EAGLE <i>Oroaetus isidori</i> | | | | 1 | |
| 84 | NORTHERN CRESTED-CARACARA <i>Caracara cheriway</i> | 3 | 2 | | | many |
| 85 | YELLOW-HEADED CARACARA <i>Milvago chimachima</i> | | 2 | | | many |
| 86 | BARRED FOREST-FALCON <i>Micrastur ruficollis</i> | | | | H | |
| 87 | AMERICAN KESTREL <i>Falco sparverius</i> | | | | 1 | |
| 88 | MERLIN <i>Falco columbarius</i> | | | | 1 | |
| 89 | APLOMADO FALCON <i>Falco femoralis</i> | | 1? | | | |
| 90 | BAT FALCON <i>Falco ruficularis</i> | | | 2 | | |
| 91 | PEREGRINE FALCON <i>Falco peregrinus</i> | | | | | 2 |
| 92 | RUFIOUS-VENTED CHACHALACA <i>Ortalis ruficauda</i> | 3 | | | | 20+ |
| 93 | BAND-TAILED GUAN <i>Penelope argyrotis</i> | 3 | | | | |
| 94 | ANDEAN GUAN <i>Penelope montagnii</i> | | | | 12+ | |
| 95 | WATTLED GUAN <i>Aburria aburri</i> | | | | H | |
| 96 | YELLOW-KNOBBED CURASSOW <i>Crax daubentoni</i> | | | | | 3 |

| | A | B | C | D | E | F |
|-----|---|-----|-----|-----|------|------|
| 97 | NORTHERN HELMETED-CURASSOW <i>Pauxi pauxi</i> | 1 | | | | |
| 98 | CRESTED BOBWHITE <i>Colinus cristatus</i> | | 16+ | | | |
| 99 | VENEZUELAN WOOD-QUAIL <i>Odontophorus columbianus</i> | H | | | | |
| 100 | RUSTY-FLANKED CRAKE <i>Laterallus levraudi</i> | | | | 1 | |
| 101 | GRAY-NECKED WOOD-RAIL <i>Aramides cajanea</i> | | | | | 5+ |
| 102 | COMMON GALLINULE (MOORHEN) <i>Gallinula chloropus</i> | | | | 1 | |
| 103 | CARIBBEAN COOT | | | | 9+ | |
| 104 | SUNBITTERN <i>Eurypyga helias</i> | | | | | 5+ |
| 105 | LIMPKIN <i>Aramus guarauna</i> | | | | | 1 |
| 106 | DOUBLE-STRIPED THICK-KNEE <i>Burhinus bistriatus</i> | | | | | 20+ |
| 107 | SOUTHERN LAPWING <i>Vanellus chilensis</i> | | | | 2 | many |
| 108 | PIED PLOVER <i>Hoploxypterus cayanus</i> | | | | | 10+ |
| 109 | COLLARED PLOVER <i>Charadrius collaris</i> | | | | | 1 |
| 110 | BLACK-NECKED STILT <i>Himantopus mexicanus</i> | | | | | many |
| 111 | WATTLED JACANA <i>Jacana jacana</i> | | | | 1 | many |
| 112 | GREATER YELLOWLEGS <i>Tringa melanoleuca</i> | | | | | 3 |
| 113 | LESSER YELLOWLEGS <i>Tringa flavipes</i> | | | | | 50+ |
| 114 | SOLITARY SANDPIPER <i>Tringa solitaria</i> | | | | | 20+ |
| 115 | SPOTTED SANDPIPER <i>Actitis macularia</i> | | | | 2 | 2 |
| 116 | LEAST SANDPIPER <i>Calidris minutilla</i> | | | | | many |
| 117 | PECTORAL SANDPIPER <i>Calidris melanotos</i> | | | | | 25+ |
| 118 | SOUTH AMERICAN SNIPE <i>Gallinago paraguaiiae/g.galingo</i> | | | | | 1? |
| 119 | LAUGHING GULL <i>Larus atricilla</i> | | | 12+ | | |
| 120 | GULL-BILLED TERN <i>Sterna nilotica</i> | | | | | 25+ |
| 121 | YELLOW-BILLED TERN <i>Sterna superciliaris</i> | | | | | many |
| 122 | LARGE-BILLED TERN <i>Phaetusa simplex</i> | | | | | many |
| 123 | ROYAL TERN <i>Sterna maximus</i> | | | | | |
| 124 | BLACK SKIMMER <i>Rynchops nigra</i> | | | | | many |
| 125 | BAND-TAILED PIGEON <i>Columba fasciata</i> | | | | 15+ | |
| 126 | PALE-VENTED PIGEON <i>Columba cayennensis</i> | 6 | | 3 | | 20+ |
| 127 | RUDDY PIGEON <i>Columba subvinacea</i> | H | | 4 | 2 | |
| 128 | EARED DOVE <i>Zenaida auriculata</i> | | | | 10+ | many |
| 129 | SCALED DOVE <i>Scardafella squammata</i> | | 11 | | | many |
| 130 | PLAIN-BREASTED GROUND-DOVE <i>Columbina minuta</i> | | | | | 5+ |
| 131 | RUDDY GROUND-DOVE <i>Columbina talpacoti</i> | 2 | | | 2 | |
| 132 | BLUE GROUND-DOVE <i>Claravis pretiosa</i> | | | | | 1 |
| 133 | WHITE-TIPPED DOVE <i>Leptotila verreauxi</i> | 2 | 1? | | 3 | many |
| 134 | LINED QUAIL-DOVE <i>Geotrygon linearis</i> | 1 | | | H | |
| 135 | SCARLET MACAW <i>Ara macao</i> | | | | | 8 |
| 136 | CHESTNUT-FRONTED MACAW <i>Ara severa</i> | 2 | | | H | 2 |
| 137 | SCARLET-FRONTED PARAKEET <i>Aratinga wagleri</i> | 2 | | | 200+ | |
| 138 | BROWN-THROATED PARAKEET <i>Aratinga pertinax</i> | 2 | 8 | | | many |
| 139 | BLOOD-EARED PARAKEET <i>Pyrrhura hoematotis</i> | 30+ | | | | |
| 140 | ROSE-CROWNED PARAKEET <i>Pyrrhura rhodoccephala</i> | | | | 7+ | |
| 141 | BARRED PARAKEET <i>Bolborhynchus lineola</i> | | | | 3 | |
| 142 | GREEN-RUMPED PARROTLET <i>Forpus passerinus</i> | 30+ | | | | 50+ |
| 143 | ORANGE-CHINNED PARAKEET <i>Brotogeris jugularis</i> | 3 | | 5 | | |
| 144 | LILAC-TAILED PARROTLET <i>Touit batavica</i> | 9 | | | 3? | |

| | A | B | C | D | E | F |
|-----|--|----|----|-----|------|-------|
| 145 | SAFFRON-HEADED PARROT <i>Pionopsitta pyrilia</i> | | | | 2 | |
| 146 | RUSTY-FACED PARROT <i>Hapalopsittaca amazonina</i> | | | | H | |
| 147 | BLUE-HEADED PARROT <i>Pionus menstruus</i> | 1 | | | | |
| 148 | RED-BILLED PARROT <i>Pionus sordidus</i> | | | | 6 | |
| 149 | WHITE-CAPPED PARROT <i>Pionus seniloides</i> | | | | H | |
| 150 | BRONZE-WINGED PARROT <i>Pionus chalcopterus</i> | | | | 12+ | |
| 151 | YELLOW-CROWNED PARROT <i>Amazona ochrocephala</i> | | | | | 20+ |
| 152 | ORANGE-WINGED PARROT <i>Amazona amazonica</i> | 2 | | | | |
| 153 | MEALY PARROT <i>Amazona farinosa</i> | | | 2 | | |
| 154 | SQUIRREL CUCKOO <i>Piaya cayana</i> | 3 | | | 1 | 1 |
| 155 | LITTLE CUCKOO <i>Piaya minuta</i> | | | | | 1 |
| 156 | GREATER ANI <i>Crotophaga major</i> | | | | | 7 |
| 157 | SMOOTH-BILLED ANI <i>Crotophaga ani</i> | | 8+ | | | many |
| 158 | GROOVE-BILLED ANI <i>Crotophaga sulcirostris</i> | | | | | 10+ |
| 159 | STRIPED CUCKOO <i>Tapera naevia</i> | | | | H | 1 |
| 160 | HOATZIN <i>Opisthocomus hoazin</i> | | | | | many |
| 161 | BARN OWL <i>Tyto alba</i> | | | | | 9-Jan |
| 162 | FOOTHILL SCREECH-OWL <i>Otus roraimae</i> | 1 | | | | |
| 163 | TROPICAL SCREECH-OWL <i>Otus choliba</i> | | | | H | |
| 164 | GREAT HORNED OWL <i>Bubo virginianus</i> | | | | 1 | 3 |
| 165 | FERRUGINOUS PYGMY-OWL <i>Glaucidium brasilianum</i> | | 2 | | | |
| 166 | BURROWING OWL <i>Speotyto cunicularia</i> | | | | | 10+ |
| 167 | RUFIOUS-BANDED OWL <i>Strix albitarsis</i> | | | | H | |
| 168 | SHORT-TAILED NIGHTHAWK <i>Lurocalis semitorquatus</i> | 2 | | | | |
| 169 | LESSER NIGHTHAWK <i>Chordeiles acutipennis</i> | | | | | 1 |
| 170 | BAND-TAILED NIGHTHAWK <i>Nyctiprogne leucopyga</i> | | | | | 20+ |
| 171 | PAURAUQUE <i>Nyctidromus albicollis</i> | 1 | | | | many |
| 172 | BAND-WINGED NIGHTJAR <i>Caprimulgus longirostris</i> | 4+ | | | | |
| 173 | WHITE-TAILED NIGHTJAR <i>Caprimulgus cayennensis</i> | | | | | 1 |
| 174 | WHITE-COLLARED SWIFT <i>Streptoprocne zonaris</i> | 9+ | | | | |
| 175 | CHESTNUT-COLLARED SWIFT <i>Cypseloides rutilus</i> | | | | 7+ | |
| 176 | VAUX'S SWIFT <i>Chaetura vauxi</i> | | | | 12+? | |
| 177 | SHORT-TAILED SWIFT <i>Chaetura brachyura</i> | 12 | | | | |
| 178 | GRAY-RUMPED SWIFT <i>Chaetura cinereiventris</i> | 2+ | | | 10+ | |
| 179 | WHITE-TIPPED SWIFT <i>Aeronautes montivagus</i> | 15 | | 3+ | | |
| 180 | PYGMY PALM-SWIFT <i>Tachornis furcata</i> | | | 20+ | | |
| 181 | NEOTROPICAL PALM-SWIFT <i>Tachornis squamata</i> | 2 | | | | |
| 182 | WHITE-BEARDED HERMIT <i>Phaethornis hispidus</i> | | | | 1 | |
| 183 | SOOTY-CAPPED HERMIT <i>Phaethornis augusti</i> | 1 | | | 3+ | |
| 184 | GRAY-CHINNED HERMIT <i>Phaethornis griseogularis</i> | | | | 1 | |
| 185 | BROWN VIOLETEAR <i>Colibri delphinae</i> | | | | 1 | |
| 186 | GREEN VIOLETEAR <i>Colibri thalassinus</i> | 6+ | | | | |
| 187 | SPARKLING VIOLETEAR <i>Colibri coruscans</i> | H | | | | |
| 188 | BLACK-THROATED MANGO <i>Anthracothorax nigricollis</i> | 1 | | 2 | 2 | |
| 189 | SPANGLED COQUETTE <i>Lophornis stictolopha</i> | | | | 1? | |
| 190 | BLUE-TAILED EMERALD <i>Chlorostilbon mellisugus</i> | 1 | | | | 1 |
| 191 | SHORT-TAILED EMERALD <i>Chlorostilbon poortmani</i> | | | | | |
| 192 | VIOLET-CROWNED WOODNYMPH <i>Thalurania colombica</i> | | | | 5+ | |

| | A | B | C | D | E | F |
|-----|---|-------------------|----|---|-----|----|
| 193 | GOLDEN-TAILED SAPPHIRE <i>Chrysuronia oenone</i> | 5+ | | | 2+ | |
| 194 | BUFFY HUMMINGBIRD <i>Leucippus fallax</i> | | 8+ | | | |
| 195 | GLITTERING-THROATED EMERALD <i>Amazilia fimbriata</i> | 3+ | | | | |
| 196 | STEELY-VENTED HUMMINGBIRD <i>Amazilia saucerrottei</i> | | | | 2+ | |
| 197 | COPPER-RUMPED HUMMINGBIRD <i>Amazilia tobaci</i> | 5+ | | | | |
| 198 | RUFOUS-TAILED HUMMINGBIRD <i>Amazilia tzacatl</i> | | | | 10+ | |
| 199 | WHITE-VENTED PLUMELETEER <i>Chalybura buffonii</i> | 1 | | | 3+ | |
| 200 | SPECKLED HUMMINGBIRD <i>Adelomyia melanogenys</i> | 3 | | | 2 | |
| 201 | VIOLET-FRONTED BRILLIANT <i>Heliodoxa leadbeateri</i> | 1 | | | 3 | |
| 202 | VIOLET-CHESTED HUMMINGBIRD <i>Sternoclyta cyanopectus</i> | 1 | | | | |
| 203 | MOUNTAIN VELVETBREAST <i>Lafresnaya lafresnayi</i> | | | | 1? | |
| 204 | BRONZY INCA <i>Coeligena coeligena</i> | 1 | | | 1 | |
| 205 | COLLARED INCA <i>Coeligena torquata</i> | | | | 3 | |
| 206 | GOLDEN-BELLIED STARFRONTLET <i>Coeligena bonapartei</i> | | | | 1 | |
| 207 | ORANGE-THROATED SUNANGEL <i>Heliangelus mavors</i> | | | | 3 | |
| 208 | LONGUEMARE'S SUNANGEL <i>Heliangelus clarisse</i> | | | | 12+ | |
| 209 | BOOTED RACKET-TAIL <i>Ocreatus underwoodii</i> | 2 | | | | |
| 210 | TYRIAN METALTAIL <i>Metallura tyrianthina</i> | 2 | | | 1? | |
| 211 | BEARDED HELMETCREST <i>Oxypogon guerinii</i> | | | | 1 | |
| 212 | LONG-TAILED SYLPH <i>Agelaiocercus kingi</i> | 8 | | | 1 | |
| 213 | WEDGE-BILLED HUMMINGBIRD <i>Augastes geoffroyi</i> | | | | 1 | |
| 214 | GORGETED WOODSTAR <i>Chaetocercus heliodor</i> | | | | 1 | |
| 215 | RUFOUS-SHAFTED WOODSTAR <i>Chaetocercus jourdanii</i> | 1 | | | | |
| 216 | CRESTED QUETZAL <i>Pharomachrus antisianus</i> | | | | 1 | |
| 217 | WHITE-TIPPED QUETZAL <i>Pharomachrus fulgidus</i> | 6 | | | | |
| 218 | GOLDEN-HEADED QUETZAL <i>Pharomachrus auriceps</i> | | | | 2 | |
| 219 | COLLARED TROGON <i>Trogon collaris</i> | 3 | | | | |
| 220 | MASKED TROGON <i>Trogon personatus</i> | | | | 3 | |
| 221 | NORTHERN VIOLACEOUS TROGON <i>Trogon caligatus</i> | | | | 2 | |
| 222 | RINGED KINGFISHER <i>Megaceryle torquata</i> | 2 | | | 1 | 5 |
| 223 | AMAZON KINGFISHER <i>Chloroceryle amazona</i> | 2 | | | | 3 |
| 224 | GREEN KINGFISHER <i>Chloroceryle americana</i> | 4 | | | | 10 |
| 225 | GREEN-AND-RUFOUS KINGFISHER <i>Chloroceryle inda</i> | | | | | 4 |
| 226 | PALE-HEADED JACAMAR <i>Brachygalba goeringi</i> | | 3 | | | 1 |
| 227 | RUFOUS-TAILED JACAMAR <i>Galbula ruficauda</i> | 4 | | | H | |
| 228 | MOUSTACHED PUFFBIRD <i>Malacoptila mystacalis</i> | 2 | | | | |
| 229 | RUSSET-THROATED PUFFBIRD <i>Hypnelus ruficollis</i> | 3 (Double-banded) | | | 2 | 2 |
| 230 | RED-HEADED BARBET <i>Eubucco bourcierii</i> | | | | 1 | |
| 231 | EMERALD TOUCANET <i>Aulacorhynchus prasinus</i> | | | | 7 | |
| 232 | GROOVE-BILLED TOUCANET <i>Aulacorhynchus sulcatus</i> | 13 | | | | |
| 233 | COLLARED ARACARI <i>Pteroglossus torquatus</i> | | | | 6 | |
| 234 | CITRON-THROATED TOUCAN <i>Ramphastos citreolaemus</i> | | | | H | |
| 235 | BLACK-MANDIBLED TOUCAN <i>Ramphastos ambiguus</i> | | | | 5 | |
| 236 | SCALED PICULET <i>Picumnus squamulatus</i> | | | 2 | | 1 |
| 237 | SPOT-BREASTED WOODPECKER <i>Chrysoptilus punctigula</i> | 2 | | | | |
| 238 | GOLDEN-OLIVE WOODPECKER <i>Piculus rubiginosus</i> | 6 | | | 2 | |
| 239 | LINEATED WOODPECKER <i>Dryocopus lineatus</i> | 1 | | | | |
| 240 | YELLOW-TUFTED WOODPECKER <i>Melanerpes cruentatus</i> | | | | 2 | |

| | A | B | C | D | E | F |
|-----|--|-----|---|---|----|------|
| 241 | RED-CROWNED WOODPECKER <i>Melanerpes rubricapillus</i> | 4 | 5 | 4 | | 5 |
| 242 | SMOKY-BROWN WOODPECKER <i>Veniliornis fumigatus</i> | 9 | | | | |
| 243 | RED-RUMPED WOODPECKER <i>Veniliornis kirkii</i> | 2 | | | | 3 |
| 244 | CRIMSON-CRESTED WOODPECKER <i>Campephilus melanoleucos</i> | | | | | 2 |
| 245 | BAR-WINGED CINCLODES <i>Cinclodes fuscus</i> | | | | 5+ | |
| 246 | ANDEAN TIT-SPINETAIL <i>Leptasthenura andicola</i> | | | | 2 | |
| 247 | AZARA'S SPINETAIL <i>Synallaxis azarae</i> | | | | 4 | |
| 248 | PALE-BREASTED SPINETAIL <i>Synallaxis albescens</i> | | | | 1 | |
| 249 | STRIPE-BREASTED SPINETAIL <i>Synallaxis cinnamomea</i> | H | | | 1 | |
| 250 | RUFIOUS SPINETAIL <i>Synallaxis unirufa</i> | | | | 4 | |
| 251 | BLACK-THROATED SPINETAIL <i>Synallaxis castanea</i> | 2 | | | | |
| 252 | WHITE-WHISKERED SPINETAIL <i>Synallaxis candei</i> | | 2 | | | |
| 253 | WHITE-BROWED SPINETAIL <i>Hellmayrea gularis</i> | | | | 1 | |
| 254 | YELLOW-CHINNED SPINETAIL <i>Certhiaxis cinnamomea</i> | | | | | many |
| 255 | CRESTED SPINETAIL <i>Cranioleuca subcristata</i> | 5 | | | 1 | |
| 256 | RUSTY-BACKED SPINETAIL <i>Cranioleuca vulpina</i> | | | | | 2 |
| 257 | OCHRE-BROWED THISTLETAIL <i>Schizoeaca coryi</i> | | | | 4+ | |
| 258 | STREAK-BACKED CANASTERO <i>Asthenes wyatti</i> | | | | 2 | |
| 259 | PLAIN THORNBIRD <i>Phacellodomus inornatus</i> | | | | | 10 |
| 260 | STREAKED TUFTEDCHEEK <i>Pseudocolaptes boissonneautii</i> | 2 | | | | |
| 261 | GUTTULATED FOLIAGE-GLEANER <i>Syndactyla guttulata</i> | 2 | | | | |
| 262 | MONTANE FOLIAGE-GLEANER <i>Anabacerthia striaticollis</i> | 5 | | | | |
| 263 | BUFF-FRONTED FOLIAGE-GLEANER <i>Philydor rufus</i> | 8+ | | | | |
| 264 | STREAKED XENOPS <i>Xenops rutilans</i> | 1 | | | | |
| 265 | PLAIN XENOPS <i>Xenops minutus</i> | 3 | | | | |
| 266 | OLIVACEOUS WOODCREEPER <i>Sittasomus griseicapillus</i> | 4 | | | | |
| 267 | STRONG-BILLED WOODCREEPER <i>Xiphocolaptes promeropirhynchus</i> | 2 | | | H | |
| 268 | BLACK-BANDED WOODCREEPER <i>Dendrocolaptes picumnus</i> | 2 | | | | |
| 269 | STRAIGHT-BILLED WOODCREEPER <i>Xiphorhynchus picus</i> | | 1 | | | 2 |
| 270 | COCOA WOODCREEPER <i>Xiphorhynchus susurrans</i> | 2 | | | | |
| 271 | OLIVE-BACKED WOODCREEPER <i>Xiphorhynchus triangularis</i> | 2 | | | H? | |
| 272 | STREAK-HEADED WOODCREEPER <i>Lepidocolaptes souleyetii</i> | | | | 2 | |
| 273 | MONTANE WOODCREEPER <i>Lepidocolaptes lacrymiger</i> | 2 | | | | |
| 274 | RED-BILLED SCYTHEBILL <i>Campylorhamphus trochilirostris</i> | 1 | | | | |
| 275 | GREAT ANTSHRIKE <i>Taraba major</i> | H | | | H | |
| 276 | BLACK-CRESTED ANTSHRIKE <i>Sakesphorus canadensis</i> | 2 | 2 | | | |
| 277 | BLACK-BACKED ANTSHRIKE <i>Sakesphorus melanonotus</i> | 1 | | | | |
| 278 | BARRED ANTSHRIKE <i>Thamnophilus doliatus</i> | 11+ | 1 | | | 1 |
| 279 | PLAIN ANTVIREO <i>Dysithamnus mentalis</i> | 5 | | | | |
| 280 | VENEZUELAN ANTVIREO <i>Dysithamnus tucuyensis</i> | 2 | | | | |
| 281 | SLATY ANTWREN <i>Myrmotherula schisticolor</i> | 13+ | | | | |
| 282 | NORTHERN WHITE-FRINGED ANTWREN <i>Formicivora intermedia</i> | 2 | 1 | | | |
| 283 | WHITE-BROWED ANTBIRD <i>Myrmoborus leucophrys</i> | | | | 1 | |
| 284 | IMMACULATE ANTBIRD <i>Myrmeciza immaculata</i> | | | | H | |
| 285 | BLACK-FACED ANTTHRUSH <i>Formicarius analis</i> | 3 | | | | |
| 286 | SCHWARTZ'S ANTTHRUSH <i>Chamaeza turdina</i> | 1 | | | | |
| 287 | SHORT-TAILED ANTTHRUSH <i>Chamaeza campanisona</i> | 1 | | | | |
| 288 | GREAT ANTPITTA <i>Grallaria excelsa</i> | | | | 1 | |

| | A | B | C | D | E | F |
|-----|---|------|---|---|----|------|
| 289 | UNDULATED ANTPITTA <i>Grallaria squamigera</i> | | | | 1 | |
| 290 | PLAIN-BACKED ANTPITTA <i>Grallaria haplonota</i> | 1 | | | | |
| 291 | CHESTNUT-CROWNED ANTPITTA <i>Grallaria ruficapilla</i> | 2 | | | | |
| 292 | GRAY-NAPED ANTPITTA <i>Grallaria griseonucha</i> | | | | H | |
| 293 | SCALED ANTPITTA <i>Grallaria guatemalensis</i> | | | | 2 | |
| 294 | RUSTY-BREASTED ANTPITTA <i>Grallaricula ferrugineipectus</i> | | | | 1 | |
| 295 | SLATE-CROWNED ANTPITTA <i>Grallaricula nana</i> | | | | 2 | |
| 296 | SCALLOP-BREASTED ANTPITTA <i>Grallaricula loricata</i> | 1 | | | | |
| 297 | MERIDA TAPACULO <i>Scytalopus meridanus</i> | | | | 2 | |
| 298 | CARACAS TAPACULO <i>Scytalopus caracae</i> | 2 | | | | |
| 299 | WHITE-FRONTED TYRANNULET <i>Phyllomyias zeledoni</i> | 2 | | | | |
| 300 | SOOTY-HEADED TYRANNULET <i>Phyllomyias griseiceps</i> | 2 | | | | |
| 301 | GOLDEN-FACED TYRANNULET <i>Zimmerius chrysops</i> | | | | 3 | |
| 302 | VENEZUELAN TYRANNULET <i>Zimmerius improbus</i> | 6 | | | | |
| 303 | SOUTHERN BEARDLESS-TYRANNULET <i>Camptostoma obsoletum</i> | 2 | | | | |
| 304 | MOUSE-COLORED TYRANNULET <i>Phaeomyias murina</i> | 3 | 2 | | | |
| 305 | YELLOW-CROWNED TYRANNULET <i>Tyrannulus elatus</i> | | | | 2 | |
| 306 | FOREST ELAENIA <i>Myiopagis gaimardii</i> | 2 | | | | |
| 307 | YELLOW-BELLIED ELAENIA <i>Elaenia flavogaster</i> | 1 | | | | |
| 308 | MOUNTAIN ELAENIA <i>Elaenia frantzii</i> | 7 | | | | |
| 309 | NORTHERN SCRUB-FLYCATCHER <i>Sublegatus arenarum</i> | 2 | 2 | | | |
| 310 | WHITE-THROATED TYRANNULET <i>Mecocerculus leucophrys</i> | many | | | 6 | |
| 311 | PALE-TIPPED INEZIA <i>Inezia caudata</i> | | | | | 1 |
| 312 | SLENDER-BILLED INEZIA <i>Inezia tenuirostris</i> | | 4 | | | |
| 313 | YELLOW TYRANNULET <i>Capsiempis flaveola</i> | 2 | | | | |
| 314 | OLIVE-STRIPED FLYCATCHER <i>Mionectes olivaceus</i> | 2 | | | 1 | |
| 315 | SLATY-CAPPED FLYCATCHER <i>Leptopogon superciliaris</i> | 2 | | | 2 | |
| 316 | MARBLE-FACED BRISTLE-TYRANT <i>Pogonotriccus ophthalmicus</i> | 2 | | | | |
| 317 | SLATE-HEADED TODY-FLYCATCHER <i>Poecilotriccus sylvia</i> | | | | 2 | |
| 318 | COMMON TODY-FLYCATCHER <i>Todirostrum cinereum</i> | | 1 | | 2 | 20+ |
| 319 | OCHRE-LORED FLATBILL <i>Tolmomyias flaviventris</i> | 1 | | | | 2 |
| 320 | CINNAMON FLYCATCHER <i>Pyrrhomyias cinnamomea</i> | 2 | | | | |
| 321 | TROPICAL PEWEE <i>Contopus cinereus</i> | 1 | | | | |
| 322 | SMOKE-COLORED PEWEE <i>Contopus fumigatus</i> | 3 | | | | |
| 323 | OLIVE-SIDED FLYCATCHER <i>Contopus cooperi</i> | 1 | | | | |
| 324 | FUSCOUS FLYCATCHER <i>Cnemotriccus fuscatus</i> | | 2 | | | |
| 325 | BLACK PHOEBE <i>Sayornis nigricans</i> | 4 | | | 2 | |
| 326 | VERMILION FLYCATCHER <i>Pyrocephalus rubinus</i> | | | | | 10 |
| 327 | BROWN-BACKED CHAT-TYRANT <i>Ochthoeca fumicolor</i> | | | | 6+ | |
| 328 | YELLOW-BELLIED CHAT-TYRANT <i>Ochthoeca diadema</i> | H | | | 4 | |
| 329 | STREAK-THROATED BUSH-TYRANT <i>Myiotheretes striaticollis</i> | | | | 2 | |
| 330 | CLIFF FLYCATCHER <i>Hirundinea ferruginea</i> | | | | 2 | |
| 331 | AMAZONIAN BLACK-TYRANT <i>Knipolegus poecilocercus</i> | | | | | 2 |
| 332 | CATTLE TYRANT <i>Machetornis rixosus</i> | | | | 2 | 10+ |
| 333 | PIED WATER-TYRANT <i>Fluvicola pica</i> | | | | | many |
| 334 | WHITE-HEADED MARSH-TYRANT <i>Arundinicola leucocephala</i> | | | | | 5+ |
| 335 | SHORT-CRESTED FLYCATCHER <i>Myiarchus ferox</i> | | | | | 1 |
| 336 | PALE-EDGED FLYCATCHER <i>Myiarchus cephalotes</i> | | | | 1 | |

| | A | B | C | D | E | F |
|-----|--|------|------|------|------|------|
| 337 | BROWN-CRESTED FLYCATCHER <i>Myiarchus tyrannulus</i> | 1 | 2 | | | |
| 338 | GREAT KISKADEE <i>Pitangus sulphuratus</i> | 7 | 1? | | | 5+ |
| 339 | LESSER KISKADEE <i>Philohydor lictor</i> | | | | 2 | 3+ |
| 340 | BOAT-BILLED FLYCATCHER <i>Megarynchus pitangua</i> | 3 | | 2 | | |
| 341 | WHITE-BEARDED FLYCATCHER <i>Phelpsia inornata</i> | | | | | 2 |
| 342 | SOCIAL FLYCATCHER <i>Myiozetetes similis</i> | 2 | | 6 | 1 | 3+ |
| 343 | RUSTY-MARGINED FLYCATCHER <i>Myiozetetes cayanensis</i> | 2 | | | | |
| 344 | STREAKED FLYCATCHER <i>Myiodynastes maculatus</i> | 2 | | | | 3 |
| 345 | GOLDEN-CROWNED FLYCATCHER <i>Myiodynastes chrysocephalus</i> | H | | | 2 | |
| 346 | PIRATIC FLYCATCHER <i>Legatus leucophaeus</i> | | | H | | |
| 347 | TROPICAL KINGBIRD <i>Tyrannus melancholicus</i> | 2 | many | many | 1 | 5+ |
| 348 | GRAY KINGBIRD <i>Tyrannus dominicensis</i> | | | | | 2 |
| 349 | FORK-TAILED FLYCATCHER <i>Tyrannus savana</i> | 2 | | | | 5+ |
| 350 | WHITE-NAPED XENOPSARIS <i>Xenopsaris albinucha</i> | | | | | |
| 351 | WHITE-WINGED BECARD <i>Pachyramphus polychopterus</i> | | | | 1 | |
| 352 | BLACK-AND-WHITE-BECARD <i>Pachyramphus albogriseus</i> | 2 | | | | |
| 353 | CHESTNUT-CROWNED BECARD <i>Pachyramphus castaneus</i> | 1 | | | | |
| 354 | CINNAMON BECARD <i>Pachyramphus cinnamomeus</i> | | | | 4 | |
| 355 | BLACK-TAILED TITYRA <i>Tityra cayana</i> | | | | | |
| 356 | MASKED TITYRA <i>Tityra semifasciata</i> | H | | | | |
| 357 | GREEN-AND-BLACK FRUITEATER <i>Pipreola riefferii</i> | | | | 4 | |
| 358 | GOLDEN-BREASTED FRUITEATER <i>Pipreola aureopectus</i> | 2 | | | H | |
| 359 | HANDSOME FRUITEATER <i>Pipreola formosa</i> | 2 | | | | |
| 360 | ANDEAN COCK-OF-THE-ROCK <i>Rupicola peruviana</i> | | | | 9+ | |
| 361 | WHITE-BEARDED MANAKIN <i>Manacus manacus</i> | | | | 1 | |
| 362 | GOLDEN-HEADED MANAKIN | | | | 1 | |
| 363 | STRIPED MANAKIN | | | | 2 | |
| 364 | LANCE-TAILED MANAKIN <i>Chiroxiphia lanceolata</i> | 6+ | | | | |
| 365 | WIRE-TAILED MANAKIN <i>Pipra filicauda</i> | | | | | 3 |
| 366 | RUFIOUS-BROWED PEPPERSHRIKE <i>Cyclarhis gujanensis</i> | 7 | | | | |
| 367 | RED-EYED VIREO <i>Vireo olivaceus</i> | | 7 | | H | |
| 368 | BROWN-CAPPED VIREO <i>Vireo leucophrys</i> | 10+ | | | H | |
| 369 | SCRUB GREENLET <i>Hylophilus flavipes</i> | 5+ | | | | |
| 370 | GOLDEN-FRONTED GREENLET <i>Hylophilus aurantiifrons</i> | 2 | | | | |
| 371 | BLACK-COLLARED JAY <i>Cyanolyca armillata</i> | | | | 2 | |
| 372 | BLACK-CHESTED JAY <i>Cyanocorax affinis</i> | | | 12 | | |
| 373 | INCA JAY <i>Cyanocorax yncas</i> | 11 | | | 20+ | |
| 374 | BROWN-CHESTED MARTIN <i>Progne tapera</i> | | | | 18+ | 5+ |
| 375 | WHITE-WINGED SWALLOW <i>Tachycineta albiventer</i> | | | | | 5+ |
| 376 | BROWN-BELLIED SWALLOW <i>Notiochelidon murina</i> | | | | 20+ | |
| 377 | BLUE-AND-WHITE SWALLOW <i>Notiochelidon cyanoleuca</i> | many | | | many | |
| 378 | SOUTHERN ROUGH-WINGED SWALLOW <i>Stelgidopteryx ruficollis</i> | 9 | | 3 | 2 | |
| 379 | BANK SWALLOW (SAND MARTIN) <i>Riparia riparia</i> | | | | | 2 |
| 380 | BARN SWALLOW <i>Hirundo rustica</i> | | | | | many |
| 381 | BICOLORED WREN <i>Campylorhynchus griseus</i> | | 4 | | | 1 |
| 382 | MERIDA (PARAMO) WREN <i>Cistothorus meridae</i> | | | | 4 | |
| 383 | WHISKERED WREN <i>Thryothorus mystacalis</i> | H | | | 2 | |
| 384 | BUFF-BREASTED WREN <i>Thryothorus leucotis</i> | 1 | | | | 3 |

| | A | B | C | D | E | F |
|-----|--|------|------|------|------|------|
| 385 | RUFOUS-AND-WHITE WREN <i>Thryothorus rufalbus</i> | 2 | | | | |
| 386 | HOUSE WREN <i>Troglodytes aedon</i> | 6+ | | 3+ | 2 | |
| 387 | MOUNTAIN WREN <i>Troglodytes solstitialis</i> | | | | 2 | |
| 388 | GRAY-BREASTED WOOD-WREN <i>Henicorhina leucophrys</i> | 7 | | | 2 | 5+ |
| 389 | SOUTHERN NIGHTINGALE-WREN <i>Microcerculus marginatus</i> | 1 | | | | |
| 390 | WHITE-CAPPED DIPPER <i>Cinclus leucocephalus</i> | | | | 3 | |
| 391 | LONG-BILLED GNATWREN <i>Ramphocaenus melanurus</i> | H | | | | |
| 392 | TROPICAL GNATCATCHER <i>Polioptila plumbea</i> | | 4 | | | 5 |
| 393 | ANDEAN SOLITAIRE <i>Myadestes ralloides</i> | H | | | H | |
| 394 | SLATY-BACKED NIGHTINGALE-THRUSH <i>Catharus fuscater</i> | | | | H | |
| 395 | ORANGE-BILLED NIGHTINGALE-THRUSH <i>Catharus aurantiirostris</i> | 1 | | | | |
| 396 | YELLOW-LEGGED THRUSH <i>Platycichla flavipes</i> | 6 | | 2 | | |
| 397 | GREAT THRUSH <i>Turdus fuscater</i> | | | | many | |
| 398 | GLOSSY-BLACK THRUSH <i>Turdus serranus</i> | many | | | many | |
| 399 | BLACK-HOODED THRUSH <i>Turdus olivater</i> | 4 | | | | |
| 400 | CHESTNUT-BELLIED THRUSH <i>Turdus fulviventris</i> | | | | 2 | |
| 401 | BARE-EYED THRUSH <i>Turdus nudigenis</i> | 4 | ? | 9+ | | |
| 402 | BLACK-BILLED THRUSH <i>Turdus ignobilis</i> | | | many | | |
| 403 | PALE-BREASTED THRUSH <i>Turdus leucomelas</i> | 4 | | 6 | | |
| 404 | WHITE-NECKED THRUSH <i>Turdus albicollis</i> | 2 | | | | |
| 405 | TROPICAL MOCKINGBIRD <i>Mimus gilvus</i> | | 10+ | | 6+ | 5+ |
| 406 | YELLOWISH PIPIT <i>Anthus lutescens</i> | | | | | 1 |
| 407 | PARAMO PIPIT <i>Anthus bogotensis</i> | | | | 2 | |
| 408 | TENNESSEE WARBLER <i>Vermivora peregrina</i> | 3 | | | 2 | |
| 409 | TROPICAL PARULA <i>Parula pitiayumi</i> | 5 | | | | |
| 410 | YELLOW WARBLER <i>Dendroica aestiva</i> | 1 | | | | |
| 411 | CHESTNUT-SIDED WARBLER <i>Dendroica pensylvanica</i> | 1 | | | | |
| 412 | BLACK-THROATED GREEN WARBLER <i>Dendroica virens</i> | 1 | | | | |
| 413 | BAY-BREASTED WARBLER <i>Dendroica castanea</i> | | | 1 | | |
| 414 | BLACKBURNIAN WARBLER <i>Dendroica fusca</i> | 6 | | | 2 | |
| 415 | CERULEAN WARBLER <i>Dendroica cerulea</i> | 3 | | | 6+ | |
| 416 | BLACK-AND-WHITE WARBLER <i>Mniotilta varia</i> | 4 | | | 2 | |
| 417 | AMERICAN REDSTART <i>Setophaga ruticilla</i> | 7 | | | 5 | |
| 418 | NORTHERN WATERTHRUSH <i>Seiurus noveboracensis</i> | 3 | | | 1 | 4 |
| 419 | MOURNING WARBLER <i>Oporornis philadelphia</i> | | | 2 | | |
| 420 | SLATE-THROATED WHITESTART <i>Myioborus miniatus</i> | many | | | many | |
| 421 | WHITE-FRONTED WHITESTART <i>Myioborus albifrons</i> | | | | 3 | |
| 422 | BLACK-CRESTED WARBLER <i>Basileuterus nigrocristatus</i> | 2 | | | 2 | |
| 423 | THREE-STRIPED WARBLER <i>Basileuterus tristriatus</i> | many | | | many | |
| 424 | GOLDEN-CROWNED WARBLER <i>Basileuterus culicivorus</i> | 2 | | | | |
| 425 | RUSSET-CROWNED WARBLER <i>Basileuterus coronatus</i> | | | | 2 | |
| 426 | BANANAQUIT <i>Coereba flaveola</i> | many | many | many | many | many |
| 427 | CAPPED CONEBILL <i>Conirostrum albifrons</i> | 3 | | | | |
| 428 | GRAY-HEADED TANAGER | | | | 3 | |
| 429 | BLACK-FACED TANAGER <i>Schistochlamys melanopis</i> | 2 | | | | |
| 430 | MAGPIE TANAGER <i>Cissopis leveriana</i> | | | 10+ | | |
| 431 | COMMON BUSH-TANAGER <i>Chlorospingus ophthalmicus</i> | many | | | many | |
| 432 | OLEAGINOUS HEMISPINGUS <i>Hemispingus frontalis</i> | 4 | | | 2 | |

| | A | B | C | D | E | F |
|-----|---|------|---|------|------|------|
| 433 | GRAY-CAPPED HEMISPINGUS <i>Hemispingus reyi</i> | | | | 13+ | |
| 434 | FULVOUS-HEADED TANAGER <i>Thlypopsis fulviceps</i> | 1 | | | 2 | 1 |
| 435 | GUIRA TANAGER <i>Hemithraupis guira</i> | 3 | | | | |
| 436 | ROSY THRUSH-TANAGER <i>Rhodinocichla rosea</i> | | | | 2 | |
| 437 | WHITE-LINED TANAGER <i>Tachyphonus rufus</i> | 9 | | | 2 | |
| 438 | WHITE-SHOULDERED TANAGER <i>Tachyphonus luctuosus</i> | | | | 2 | |
| 439 | HIGHLAND HEPATIC-TANAGER <i>Piranga lutea</i> | 2 | | | | |
| 440 | SUMMER TANAGER <i>Piranga rubra</i> | 4 | | | H | |
| 441 | WHITE-WINGED TANAGER <i>Piranga leucoptera</i> | 6 | | | | |
| 442 | SILVER-BEAKED TANAGER <i>Ramphocelus carbo</i> | many | | | | 10+ |
| 443 | CRIMSON-BACKED TANAGER <i>Ramphocelus dimidiatus</i> | | | many | | |
| 444 | BLUE-GRAY TANAGER <i>Thraupis episcopus</i> | many | ? | many | many | many |
| 445 | GLAUCOUS TANAGER <i>Thraupis glaucocolpa</i> | 1 | | | | |
| 446 | PALM TANAGER <i>Thraupis palmarum</i> | ? | | | many | |
| 447 | BLUE-CAPPED TANAGER <i>Thraupis cyanocephala</i> | 17 | | | 6 | |
| 448 | BLUE-WINGED MOUNTAIN-TANAGER <i>Anisognathus somptuosus</i> | 6 | | | | |
| 449 | BUFF-BREASTED MOUNTAIN-TANAGER <i>Dubusia taeniata</i> | | | | H | |
| 450 | FAWN-BREASTED TANAGER <i>Pipraeidea melanonota</i> | 3 | | | | |
| 451 | GOLDEN-RUMPED EUPHONIA <i>Euphonia cyanocephala</i> | 3 | | | 2 | |
| 452 | THICK-BILLED EUPHONIA <i>Euphonia laniirostris</i> | 5 | | | 2 | |
| 453 | ORANGE-BELLIED EUPHONIA <i>Euphonia xanthogaster</i> | 3 | | | | |
| 454 | TRINIDAD EUPHONIA <i>Euphonia trinitatis</i> | H | | | | |
| 455 | BLUE-NAPED CHLOROPHONIA <i>Chlorophonia cyanea</i> | 6 | | | | |
| 456 | GOLDEN TANAGER <i>Tangara arthus</i> | many | | | | |
| 457 | SAFFRON-CROWNED TANAGER <i>Tangara xanthocephala</i> | | | | 2 | |
| 458 | RUFOUS-CHEEKED TANAGER <i>Tangara rufigenis</i> | 3 | | | | |
| 459 | BERYL-SPANGLED TANAGER <i>Tangara nigroviridis</i> | 7 | | | 4 | |
| 460 | BLACK-CAPPED TANAGER <i>Tangara heinei</i> | 6 | | | | |
| 461 | BLACK-HEADED TANAGER <i>Tangara cyanoptera</i> | 4 | | | 1 | |
| 462 | BURNISHED-BUFF TANAGER <i>Tangara cayana</i> | 4 | | | | |
| 463 | BLUE-NECKED TANAGER <i>Tangara cyanicollis</i> | 10 | | | 2 | |
| 464 | SPECKLED TANAGER <i>Tangara guttata</i> | 15 | | | 3 | |
| 465 | BAY-HEADED TANAGER <i>Tangara gyrola</i> | 10 | | | | |
| 466 | BLUE DACNIS <i>Dacnis cayana</i> | | | | 1 | |
| 467 | GREEN HONEYCREEPER <i>Chlorophanes spiza</i> | 2 | | | | |
| 468 | PURPLE HONEYCREEPER <i>Cyanerpes caeruleus</i> | 1 | | | | |
| 469 | BLuish FLOWERPIERCER <i>Diglossopsis caerulescens</i> | | | | 4 | |
| 470 | MASKED FLOWERPIERCER <i>Diglossopsis cyanea</i> | | | | 1 | |
| 471 | WHITE-SIDED FLOWERPIERCER <i>Diglossa albilatera</i> | 2 | | | | |
| 472 | SWALLOW TANAGER <i>Tersina viridis</i> | 4 | | | | |
| 473 | PLUSHCAP <i>Catamblyrhynchus diadema</i> | 1 | | | 2 | |
| 474 | SOUTHERN GRAYISH-SALTATOR <i>Saltator coerulescens</i> | | | | 1 | 2 |
| 475 | BUFF-THROATED SALTATOR <i>Saltator maximus</i> | 4 | | | | |
| 476 | STREAKED SALTATOR <i>Saltator striatipectus</i> | 2 | | | | |
| 477 | ORINOCAN SALTATOR <i>Saltator orenocensis</i> | | | | | 2 |
| 478 | ROSE-BREASTED GROSBEAK <i>Pheucticus ludovicianus</i> | 3 | | | 2 | |
| 479 | BLUE-BLACK GROSBEAK <i>Cyanocompsa cyanoides</i> | | | | 1 | |
| 480 | RED-CAPPED CARDINAL <i>Paroaria gularis</i> | | | | | many |

| | A | B | C | D | E | F |
|-----|--|------|------|------|-----|------|
| 481 | VERMILION CARDINAL <i>Cardinalis phoeniceus</i> | | 2 | | | |
| 482 | BLUE-BLACK GRASSQUIT <i>Volatinia jacarina</i> | 1 | | 2 | | many |
| 483 | BLACK-FACED GRASSQUIT <i>Tiaris bicolor</i> | | many | | | |
| 484 | DULL-COLORED GRASSQUIT <i>Tiaris obscura</i> | | | | | |
| 485 | YELLOW-BELLIED SEEDEATER <i>Sporophila nigricollis</i> | 1 | | | 2 | |
| 486 | RUDDY-BREASTED SEEDEATER <i>Sporophila minuta</i> | | | | | 10+ |
| 487 | GRAY SEEDEATER <i>Sporophila intermedia</i> | | | | | 10+ |
| 488 | CHESTNUT-BEL.SEEDEATER <i>Sporophila castaneiventris</i> | | | | | 2 |
| 489 | PLAIN-COLORED SEEDEATER <i>Catamenia inornata</i> | | | | 2 | |
| 490 | PLUMBEOUS SIERRA-FINCH <i>Phrygilus unicolor</i> | | | | 6+ | |
| 491 | SAFFRON FINCH <i>Sicalis flaveola</i> | | | | | many |
| 492 | ORANGE-FRONTED YELLOW-FINCH <i>Sicalis columbiana</i> | | | | | many |
| 493 | GRAY PILEATED-FINCH <i>Coryphospingus pileatus</i> | | 6+ | | | |
| 494 | MOUSTACHED BRUSH-FINCH <i>Atlapetes albofrenatus</i> | | | | 4 | |
| 495 | OCHRE-BREASTED BRUSH-FINCH <i>Atlapetes semirufus</i> | 7 | | | 2 | |
| 496 | SLATY BRUSH-FINCH <i>Atlapetes schistaceus</i> | | | | 2 | |
| 497 | CHESTNUT-CAPPED BRUSH-FINCH <i>Buarremon brunneinuchus</i> | 2 | | | 1 | |
| 498 | STRIPE-HEADED BRUSH-FINCH | | | | 2 | |
| 499 | BLACK-STRIPED SPARROW <i>Arremonops conirostris</i> | | | | 2 | |
| 500 | TOCUYO SPARROW <i>Arremonops tocuyensis</i> | | 2 | | | |
| 501 | PECTORAL SPARROW | | | | 4 | |
| 502 | YELLOW-BROWED SPARROW <i>Ammodramus aurifrons</i> | | | | | many |
| 503 | RUFIOUS-COLLARED SPARROW <i>Zonotrichia capensis</i> | 12+ | | | | |
| 504 | YELLOW-HOODED BLACKBIRD <i>Agelaius icterocephalus</i> | | | | | 5 |
| 505 | EASTERN MEADOWLARK <i>Sturnella magna</i> | | | | 2 | 5 |
| 506 | RED-BREASTED BLACKBIRD <i>Sturnella militaris</i> | | | 1 | | 25+ |
| 507 | CARIB GRACKLE <i>Quiscalus lugubris</i> | many | | many | | many |
| 508 | SHINY COWBIRD <i>Molothrus bonariensis</i> | 1 | | | 12+ | 5+ |
| 509 | GIANT COWBIRD <i>Molothrus oryzivora</i> | | | | 1 | |
| 510 | VENEZUELAN TROUPIAL <i>Icterus icterus</i> | | 3+ | | | 10 |
| 511 | YELLOW-BACKED ORIOLE <i>Icterus chrysater</i> | 2 | | | 4 | |
| 512 | YELLOW ORIOLE <i>Icterus nigrogularis</i> | 3 | | | | 5+ |
| 513 | ORANGE-CROWNED ORIOLE <i>Icterus auricapillus</i> | 1 | | | | |
| 514 | ORIOLE BLACKBIRD <i>Gymnomystax mexicanus</i> | 2 | | | 2 | 5+ |
| 515 | YELLOW-RUMPED CACIQUE <i>Cacicus cela</i> | H | | | | 10+ |
| 516 | CRESTED OROPENDOLA <i>Psarocolius decumanus</i> | 7+ | | 1? | | 5+ |
| 517 | RUSSET-BACKED OROPENDOLA <i>Psarocolius angustifrons</i> | 12+ | | | 20+ | 5+ |
| 518 | ANDEAN SISKIN <i>Carduelis spinescens</i> | | | | 5+ | |
| 519 | YELLOW-BELLIED SISKIN <i>Carduelis xanthogastra</i> | 2 | | | 2 | |
| 520 | LESSER GOLDFINCH <i>Carduelis psaltria</i> | | | 2 | 3 | |
| 521 | | | | | | |
| 522 | TOTAL | | | | | 507 |